

In this issue

Research Article

[Open Access](#) [Research Article](#) PTZAID:AGGR-5-126

## Impact of a COVID-19 outbreak in a long-term care facility in Barcelona, Spain: The role of a COVID-19 prevention and control program

Published On: December 11, 2020 | Pages: 043 - 047

Author(s): Gabriel Vallecillo\*, Marta Anguera, Noemi Martin, Cristina González, Consol Serra, Juan Pablo Horcajad and Víctor Pérez

Background: COVID-19 outbreaks in long-term care facilities are a significant impact on infection rates and mortality rates of the residents. The study aimed to describe the effectiveness of a COVID-19 prevention and control (CPC) program in a long-term care facility. Methods: A CPC program, including social isolation, active symptoms screening for all residents and ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aggr.000026](https://doi.org/10.17352/aggr.000026)

[Open Access](#) [Research Article](#) PTZAID:AGGR-5-114

## US and Russian physician perspectives regarding end of life care

Published On: April 06, 2020 | Pages: 002 - 006

Author(s): Gerald J Jogerst\*, James G Jackson, Yulia Matveeva, Yinghui Xu, and Anna Turusheva

Purpose: To compare US and Russian primary care physicians' attitudes, comfort and experiences providing palliative care. Design: Cross sectional survey. Settings: Iowa, USA and Leningrad Oblast, Russia Participants: Family medicine physicians at University of Iowa and Northwestern State Medical University, St Petersburg, Russia, community practicing family physici ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aggr.000014](https://doi.org/10.17352/aggr.000014)

Review Article

[Open Access](#) [Review Article](#) PTZAID:AGGR-5-123

## Agnosia: Definition, clinical contexts, neurobiological profiles and clinical

## treatments

Published On: July 17, 2020 | Pages: 031 - 035

Author(s): Giulio Perrotta\*

Starting from the general concept of Agnosia, the present work focuses on the clinical, neurobiological, and functional aspects of the morbid condition, suggesting a multidimensional treatment between rehabilitation exercises for lost skills and psychotherapy. ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aggr.000023](https://doi.org/10.17352/aggr.000023)

[Open Access](#) | [Review Article](#) | PTZAID:AGGR-5-120

## Development of a new drug for progeria syndrome; Past, Present and Future

Published On: June 08, 2020 | Pages: 022 - 025

Author(s): So-mi Kang, Minju Kim and Bum-Joon Park\*

Hutchinson-Gilford progeria syndrome (HGPS) is the best characterized genetic disorder with premature aging features. Classic HGPS is very rare, sporadic orphan disease, inherited in an autosomal dominant manner without gender or ethnic differences. Children with HGPS appear normal at birth, but begin to develop segmental progeroid symptoms within the first years of l ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aggr.000020](https://doi.org/10.17352/aggr.000020)

## Case Report

## **Transient camptocormia with citalopram treatment in a patient with mixed dementia–A case report**

Published On: August 05, 2020 | Pages: 040 - 042

Author(s): Inbal Segal, Galia Fisher RN and Doron Merims\*

This case report reviews a patient who suffered mixed dementia with depression. The addition of citalopram to the medication regimen was shortly followed by the manifestation of camptocormia, or “bent-spine.” Clinical findings available, without attempting invasive diagnostic procedures, point to a citalopram induced camptocormia. The frequent use of SSRI medications ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aggr.000025](https://doi.org/10.17352/aggr.000025)

## **Low back pain as an equivalent of neurogenic claudication in elderly patient: Case report**

Published On: June 25, 2020 | Pages: 026 - 028

Author(s): Igor Borshchenko\*, Roman Kartavykh, Andrey Baskov, Andrey Grin and Maria Borshchenko

This clinical report presents the case of chronic low back pain in elderly female referring to multilevel (L2-L5) degenerative lumbar spinal stenosis without typical neurogenic claudication and leg pain. Subsequent minimally invasive surgical decompression produced complete resolve of the pain and drastic improvement life quality. This surgery confirmed the pain origi ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aggr.000021](https://doi.org/10.17352/aggr.000021)

## **A rare cause of acute abdomen: Isolated cecum necrosis; A case report**

Published On: May 28, 2020 | Pages: 010 - 011

Author(s): Feridun Suat Gokce and Aylin Hande Gokce\*

Isolated cecum necrosis is a very rare condition. The most common symptom is pain in the right lower quadrant. We are presenting a patient who visited the emergency clinic with right lower quadrant pain and subsequently was diagnosed with cecum necrosis during the operation and underwent a right hemicolectomy. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/aggr.000017

## Letter to Editor

[Open Access](#) | [Letter to Editor](#) | PTZAID:AGGR-5-124

### Duodenal bleeding in a patient with Covid-19-Related Acute Respiratory Distress Syndrome

Published On: August 05, 2020 | Pages: 036 - 039

Author(s): Maurizio Gabrielli\*, Laura Franza, Maria Chiara Bungaro, Tommaso de Cunzo, Alessandra Esperide, Federico Valletta, Irene Gasparri, Luca Santarelli, Alessio Migneco, Lorenzo Capaldi and Francesco Franceschi

High incidence of thrombotic complications was observed in patients with Acute Respiratory Distress Syndrome (ARDS) related to Coronavirus Disease 2019 (COVID-19) [1]. The pathophysiology seems related to systemic thrombophilia by hyper-immune reaction, inducing a “cytokine storm” [1]. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/aggr.000024

[Open Access](#) | [Letter to Editor](#) | PTZAID:AGGR-5-115

### What is the fittest criterion for giving chemotherapy for an elderly patient diagnosed with follicular lymphoma?

Published On: April 29, 2020 | Pages: 007 - 007

Author(s): Turgay ULAS\* Mehmet Sinan DAL and Ozan SALIM

An 85-year-old British man admitted to our department in July 2018 with enlarged lumps in cervical, axillary and inguinal sites. He was diagnosed with Follicular lymphoma (Stage 3 Grade 3A). ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/aggr.000015

[Open Access](#) | [Letter to Editor](#) | PTZAID:AGGR-5-113

### Dignity therapy for non-terminally ill elderly

Published On: February 07, 2020 | Pages: 001 - 001

Author(s): Miguel Julião\* and Fernanda Barata

Dignity Therapy (DT) is a psychotherapeutic approach designed to increase patient's sense of meaning and purpose, offering the opportunity to talk about issues that matter most to them, to share moments they feel were most important and to speak of things they would like to be remembered [1]. DT has been developed and trialled for those near death and had shown effica ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aggr.000013](https://doi.org/10.17352/aggr.000013)

## Mini Review

[Open Access](#) | [Mini Review](#) | PTZAID:AGGR-5-119

### **Fragile elderly, systemic conditions and dental homecare - a mini-review**

Published On: June 08, 2020 | Pages: 017 - 021

Author(s): Alexandre Franco Miranda\*, Stella Maris de Freitas Lima and Taia Maria Berto Rezende

Background: The oral health of elderly patients can be treated at home or in the hospital environment with adaptations. This type of home dental care is possible through the synergistic interactions among several health professionals involved in improving the quality of life of dependent and fragile elderly patients. Scientific articles and bibliographic databases on ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aggr.000019](https://doi.org/10.17352/aggr.000019)

## Opinion

[Open Access](#) | [Opinion](#) | PTZAID:AGGR-5-122

### **Intimacy, Parkinson's disease and dementia in the time of the coronavirus**

Published On: June 30, 2020 | Pages: 029 - 030

Author(s): Gila Bronner\*, Amos D Korczyn and Tanya Gurevich

While the corona virus does not seem to invade the brain, patients with neurodegenerative diseases do not suffer from specific deficits in their immune system which could put them at increased risk of SARS-CoV-2 infection. So far, experience from the affected regions does not show an apparent increased risk, although there are no systematic data yet available [1]. ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aggr.000022](https://doi.org/10.17352/aggr.000022)

## Observational Study

[Open Access](#) | [Observational Study](#) | PTZAID:AGGR-5-118

### **Prognosis of frail hospitalized COVID-19 patient: Better than expected?**

Published On: June 05, 2020 | Pages: 012 - 016

Author(s): Martial Coutaz\*, Julien Lagrandeur, Botturi Cecilia and Cohen Corinne

Objective: To evaluate the characteristics and prognosis of hospitalized geriatric COVID-19-positive patients during the first 30 days of the Swiss confinement period. Design: A retrospective case series analyzing the characteristics and disease evolution for 81 patients admitted to the geriatric COVID-19-positive ward during a 30-day period from March 24 to April 22 ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aggr.000018](https://doi.org/10.17352/aggr.000018)